



**RECEIVED
CENTRAL FAX CENTER**

401 Castro Street
Mountain View, CA 94041-2007
T 650.625.8100
F 650.625.8110
www.sughrue.com

OCT 25 2004

FAX

Date	October 25, 2004		
To	Ex. C. Thai Group Art Unit: 2173		
Of	U.S. Patent and Trademark Office		
Fax	703 872-9306		
From	Frank L. Bernstein, Reg. No. 31,484		
Subject	AMENDMENT UNDER 37 C.F.R. § 1.197		
Our Ref	ST9-97-130	Your Ref	USSN 09/058,170
Pages (including cover sheet)	15		

RECEIVED
TUES OCT 28 PM 10:06
BOARD OF PATENT APPEALS
AND INTERFERENCES

Please call attention to problems with this transmission by return fax or telephone. Thank you.

THE INFORMATION CONTAINED IN THIS COMMUNICATION IS CONFIDENTIAL, MAY BE ATTORNEY-CLIENT PRIVILEGED, AND IS INTENDED ONLY FOR THE USE OF THE ADDRESSEE. UNAUTHORIZED USE, DISCLOSURE OR COPYING IS STRICTLY PROHIBITED AND MAY BE UNLAWFUL. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US.

In re application of Docket No: ST9-97-130

Terry BLEIZEFFER, et al.

Appn. No.: 09/058,170 Group Art Unit: 2173

Confirmation No.: 7179 Examiner: C. Thai

Filed: April 10, 1998

For: METHOD AND APPARATUS FOR SETTING PARAMETERS IN A SYSTEM

Paper Entitled: AMENDMENT UNDER 37 C.F.R. § 1.197 14 pages

OCT-25-2004 17:36

SUGHRUE MION

RECEIVED
CENTRAL FAX CENTER

650 625 8110

P.02

OCT 25 2004

#23C
12/2/04
A.V.

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: ST9-97-130

Terry BLEIZEFFER, et al.

Appln. No.: 09/058,170

Group Art Unit: 2173

Confirmation No.: 7179

Examiner: C. Thai

Filed: April 10, 1998

For: METHOD AND APPARATUS FOR SETTING PARAMETERS IN A SYSTEM

BOARD OF PATENT APPEALS
AND INTERFERENCES

RECEIVED

OCT 28 PM 10:06

AMENDMENT UNDER 37 C.F.R. § 1.197

MAIL STOP AMENDMENT

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

In response to the Board Decision dated August 25, 2004, please amend the above-identified application as follows on the accompanying pages.

TABLE OF CONTENTS

AMENDMENTS TO THE CLAIMS	2
REMARKS	14